

CLAIM AMENDMENTS

IN THE CLAIMS

This listing of the claims will replace all prior versions and listing of claims in the application or previous response to office action:

1. (Original) A client machine for remotely executing application functionality, the client machine communicatively coupled to a server, a forms manager residing on the server, the client machine comprising:

a view manager, the view manager operable for generating a graphical user interface environment, the graphical user interface environment comprising graphical objects, the view manager manipulating the graphical objects in response to communication from the forms manager;

instructions for characterizing events at the client machine as either requiring processing by the application server or processing by the view manager;

instructions for parsing events in an event queue at the client machine to determine when and in what order to process the events; and

instructions for extracting events that require processing by the application engine and sending the events that require processing by the application engine to the server.

2. (Original) The client machine of Claim 1, the client machine further comprising:
instructions for maintaining stack synchronization between the client machine and the server.

3. (Original) The client machine of Claim 1 wherein the graphical objects comprise predefined graphical elements.

4. (Original) The client machine of Claim 1 wherein the forms manager maintains data objects on the server, the data objects being associated with the graphical objects on the client machine.

5. (Original) The client machine of Claim 1 wherein the client machine is communicatively coupled to the server through a global network.

6. (Original) The client machine of Claim 1 wherein the client machine is communicatively coupled to the server through a network using TCP/IP.

7. (Original) The client machine of Claim 1 wherein the client machine is communicatively coupled to the server through a dispatcher.

8. (Original) The client machine of Claim 1 wherein the client machine is communicatively coupled to the server through a wireless network.

9. (Currently Amended) A server, the server communicatively coupled to at least one client machine, the server comprising:

a forms manager, the forms manager operable to direct a view manager residing on the at least one client machine to render a graphical object, the at least one client machine containing instructions for characterizing events at the client machine as either requiring processing by the server or processing by the view manager, and

at least one data object, the forms manager storing data associated with the graphical data object in the at least one data object; and

an application logic accessible by the forms manager, the forms manager applying the application logic to a message sent by the view manager associated with an event from an event queue residing on the at least one client machine, the event being characterized by the at least one client machine as requiring processing by the server.

10. (Original) The server of Claim 9, the server further comprising:
an application-programming interface, the application programming interface operable to
permit access to the core functionality of the forms manager.

11. (Original) The server of Claim 9, the server further comprising:
a database interface accessible to the forms manager.

12. (Original) The server of Claim 11, the server further comprising:
a database accessible to the forms manager through the database interface.

13. (Original) The server of Claim 9 wherein the server is communicatively coupled
to the at least one client machine through a global network.

14. (Original) The server of Claim 9 wherein the server is communicatively coupled
to the at least one client machine through a dispatcher.

15. (Original) The server of Claim 9 wherein the server is communicatively coupled
to the at least one client machine through a network using TCP/IP.

16. (Original) The server of Claim 9 wherein the server is communicatively coupled
to the at least one client machine through a wireless network.

17-20. (Cancelled).